



Technical
Information



find your way



Leit- und Orientierungssysteme vermitteln einen ersten - oft entscheidenden - Eindruck und sind wichtiger Ausdruck der Kundenfreundlichkeit. Abgestimmt auf die Architektur und die spezifischen Anforderungen des Gebäudes sind sie wesentlicher Bestandteil der Corporate Identity und spiegeln - hochwertig, durchdacht, konsequent in Form und Funktion - Selbstverständnis und Identität eines Unternehmens, einer Institution oder einer Behörde wider. Erst durch viele funktionale und gestalterische Details und hohe Qualitätsstandards wird aus einem Wegweiser oder Schild ein ausgereiftes Orientierungs- und Leitsystem. Bei der Entwicklung der Orientierungs- und Leitsysteme berücksichtigt moedel konsequent die hohen Anforderungen von Plännern und Kunden. In die Entwicklung und Herstellung der unterschiedlichen Systeme fließt die über 30-jährige Erfahrung in der Produktion von Siebdruckerzeugnissen ein. 90 qualifizierte Mitarbeiterinnen und Mitarbeiter erarbeiten auf 2 Werksgeländen mit insgesamt 15.000 m² nahe Amberg nach zertifizierten Fertigungsabläufen (DIN EN ISO 9001) Produkte von höchster Präzision, Perfektion und Beständigkeit.

Information and orientation systems often provide that all-important first impression while giving vital expressions of customer-friendliness at the same time. Carefully coordinated with the architecture and the specific requirements of the building they form an essential part of corporate identity, reflecting the image and identity of the company, institution or public authority. High quality, well conceived and rigorous in both form and function. It takes great attention to functional and design details, along with high quality standards, to turn a sign or guide into an optimized information and orientation system, moedel rigorously meets the high requirements of planners and customers in the development of information and orientation systems, drawing on over 30 years of experience in the production of screen print products to develop and produce a diversity of systems. A team of 90 employees work at two factory premises (together 15.000 m²) near Amberg, where certified production processes (DIN EN ISO 9001) turn out products of the highest precision, perfection and durability.



Showcases for outdoor

Outdoor showcase Model B


NEW

The outdoor showcase model B presents information in a sound and well-designed fashion. It is suitable for wall or stand mounting and is available with lighting.

Technical data:

- for wall or stand mounting
- usable inside depth: 35 mm
- torsion-free frame made of aluminium in anodized silver(E6/EV1)
- chromed corners bevelled on all sides
- rear made of galvanized sheet steel (magnetic) painted in RAL 9010 white
- inlaid folding door with inset hinges
- side gas springs in the format 1010 x 1370 mm (= opening at the top)
- glazing: 4 mm single-pane safety glass (with ESG - trademark DIN 1249)
- front security cylinder lock
- hidden ventilation
- incl. 4 magnets
- optional lighting behind the blind




Outdoor showcase Model D



The Model D outdoor showcase combines color and function. The top-mounted edging frame (available silver-anodized, painted in F1 - F16 or in a RAL color) helps make the showcase a modern and adaptable eye catcher.

Technical data:

- For wall-mounting or stand-based installation
- Usable inside depth: 35 mm
- Top-mounted edging frame, 30 mm wide
- Back panel in sheet steel (magnetic) painted in RAL 9006 white aluminium
- Side-hung casements (for landscape formats in DIN A4 and DIN A3 they open upwards)
- Glass panels: 4 mm toughened safety glass
- Two spring bolt locks for locking on the side
- Including 4 magnets



To open the side spring bolts, press in with the Allen key (included in delivery). To prevent it from being opened without authorization, screw the supplied grub screws into the threaded channel.

To release the spring bolt to open the doors, screw the locking screws in. Return to the grub screw to the original position again before for closing.

Outside dim.	Display surf.	Pages	Art. No.	Art. No.		
height x width x depth	height x width	DIN A4	without lighting	with lighting		
in mm	in mm					
410 x 530 x 55	300 x 420	2 x 1	i 662	i 662b		
710 x 530 x 55	600 x 420	2 x 2	i 664	i 664b		
710 x 960 x 55	600 x 850	2 x 4	i 668	i 668b		
1010 x 1370 x 55	900 x 1260	3 x 6	i 6618	i 6618b		
1010 x 1580 x 55	900 x 1470	3 x 7	i 6621	i 6621b		
1010 x 2000 x 55	900 x 1890	3 x 9	i 6627	i 6627b		

Outside dim.	Display surface	Art. No.	Art. No.		
height x width x depth		silver-anodized	painted		
in mm					
418 x 331 x 45	DIN A4	i 62297	i 64297 *		
541 x 419 x 45	DIN A3	i 62420	i 64420 *		
716 x 542 x 45	DIN A2	i 62594	i 64594 *		
961 x 716 x 45	DIN A1	i 62841	i 64841 *		
1310 x 961 x 45	DIN A0	i 621189	i 641189 *		

* Painted in one of our 16 standard colors (F1 - F16) or RAL or HKS colors.

Please specify the required color number with the article number. Details are contained on page 97.

Outdoor showcase model C

**NEW**

Slim and elegant the show case model C has space for up to 12 DIN A4 - sheets. The designer folding frame model C is the perfect supplement for indoors.

Technical data:

- for wall mounting
- usable inside depth: 13 mm
- top frame made of aluminium in anodized silver (E6/EV1)
- rear made of sheet steel (magnetic) painted in RAL 9010 white
- side folding door
- glazing: shock-resistant, UV-resistant plastic (SAN)
- front security cylinder lock
- circumferential rubber seal



Showcases for indoor

Design snap frame Model C

NEW

The designer folding frame model C is an aesthetic alternative for constantly changing information. The particularly elegant frame profile gives it a special character.

Technical data:

- for wall mounting
- frame made of aluminium in anodized silver (E6/EV1)
- mitre corners, with rust free angle joints
- rear made of shock-resistant plastic
- UV resistant non-reflective cover

Outside dim.	Display surface	Pages	Art. No.		
height x width x depth in mm	height x width in mm	DIN A4 Quantity			
696 x 521 x 23	615 x 440	2 x 2	i 624		
696 x 741 x 23	615 x 660	3 x 2	i 626		
1004 x 741 x 23	922 x 660	3 x 3	i 629		
1004 x 961 x 23	922 x 880	4 x 3	i 6212		

Outside dim.	Display surface	Poster format	Art. No.		
height x width x depth in mm	height x width in mm				
351 x 264 x 22	279 x 192	DIN A4	i 61A4		
474 x 351 x 22	402 x 279	DIN A3	i 61A3		
648 x 474 x 22	576 x 402	DIN A2	i 61A2		
895 x 648 x 22	823 x 576	DIN A1	i 61A1		
1243 x 895 x 22	1171 x 823	DIN A0	i 61A0		

Showcases for indoor

Indoor showcase model G with sliding door



NEW

The sliding door showcase model G is particularly suitable for use in rooms with limited space. The torsionally rigid aluminium frame allows for information surfaces in large formats.

Technical data:

- for wall mounting
- usable inside depth: 25 mm
- top torsionally rigid frame made of aluminium in anodized silver (E6/EV1)
- rear made of galvanized sheet steel (magnetic) painted in RAL 9010 white
- guided hinged sliding doors with side handle (at the bottom)
- glazing: 4 mm single-pane safety glass (with ESG - trademark DIN 1249)
- front security cylinder lock
- incl. 4 magnets



Indoor showcase model M



Our Model M indoor showcase combines attractive design with value-for-money. It can be used in both portrait and landscape formats and offers a modern visual appearance combined with high-quality materials. Model M – simplicity at its most attractive.

Technical data:

- Frame in silver-anodized aluminium (E6 / EV1)
- Back panel in sheet steel (magnetic) painted in RAL 9006 white aluminium
- Side-hung casements (for landscape formats in DIN A4 and DIN A3 they open upwards)
- Glass panels: UV-resistant PVC (fire class B1)
- Front security lock (format DIN A2 and higher with 2 locks)
- Including 4 magnets



Outside dim.	Display surface	Pages	Art. No.
height x width x depth in mm	height x width in mm	DIN A4 Quantity	
670 x 910 x 50	620 x 850	2 x 4	i 678
970 x 910 x 50	920 x 850	3 x 4	i 6712
970 x 1330 x 50	920 x 1270	3 x 6	i 6718
970 x 1540 x 50	920 x 1480	3 x 7	i 6721
970 x 1970 x 50	920 x 1910	3 x 9	i 6727

Outside dim.	Display surface	Art. No.	
height x width x depth in mm	height x width in mm		
377 x 290 x 28	318 x 231 (DIN A4)	i 61297	
500 x 377 x 28	441 x 318 (DIN A3)	i 61420	
665 x 500 x 28	606 x 441 (DIN A2 portrait)	i 61594	
500 x 665 x 28	441 x 606 (DIN A2 landscape)	i 61594Q	
920 x 665 x 28	861 x 606 (DIN A1 portrait)	i 61841	
665 x 920 x 28	606 x 861 (DIN A1 landscape)	i 61841Q	

Posts for stand-based installation

For showcases which are to be installed not on the wall but elsewhere, our posts from the "Berlin Basic" system are the solution. Fitting the showcase to two box profiles (height: 100 mm) provides a simple and flexible means of installation.

The "Berlin Basic" posts are also ideal for the effortless production of large systems of showcases as well – enabling several showcases to be arranged in a line next to each other or even at 90° to each other. In addition, the ornamental attachments and curved segments are also available as well, of course.



Accessories

Magnet for showcase

Format	Art. No.	Art. No.
Diameter in mm	white	red
16	i 6085w *	i 6085r *
25	i 6086w *	i 6086r *

* 1 set = 10 items.





www.moedel.de

Schilderfabrikation Moedel GmbH

➔ Warnen-Sichern-Kennzeichnen

➔ Digitaldruck - Siebdruck

Werk I

August-Borsig-Straße 1
Industriegebiet Nord
D-92224 Amberg

➔ Leit- und Orientierungssysteme

Werk II

Wernher-von-Braun-Straße 13
Industriegebiet Nord
D-92224 Amberg

Postfach 1755

D-92207 Amberg

Telefon +49/9621/605-0

Telefax +49/9621/605-145

E-Mail amberg@moedel.de

Web www.moedel.de

Niederlassung Berlin

Danziger Straße 64

10435 Berlin

Telefon +49/30/44 34 09 56

Telefax +49/30/44 34 09 57

E-Mail berlin@moedel.de

